

#### US005204136A

# United States Patent [19]

#### Hellemons

### [11] Patent Number:

# 5,204,136

#### [45] Date of Patent:

Apr. 20, 1993

[54]	PROCESS	<b>FOR</b>	<b>EXTRACTING</b>	<b>COFFEE</b>
------	---------	------------	-------------------	---------------

[75] Inventor: Adrianus C. M. Hellemons,

Montfoort, Netherlands

[73] Assignee: Douwe Egbets Koninklijke

Tabaksfa-Briek-Koffiebranderijen-

Theehandel N.V., Urecht,

Netherlands

[21] Appl. No.: 690,393

[22] Filed: Apr. 25, 1991

#### Related U.S. Application Data

[63] Continuation of Ser. No. 379,048, Jul. 13, 1989, abandoned.

[30]	roreig	Foreign Application Priority Data				
Jul	. 13, 1988 [N	NL] Netherlands	8801775			
Fe	b. 6, 1989 [N	NL] Netherlands	8900285			
[51]	Int. Cl.5	•••••	A23F 5/24			
			407 (PO4 407 (200			

[58] Field of Search ...... 426/594, 388, 431, 433

[56] References Cited

#### U.S. PATENT DOCUMENTS

3,821,434 6/1974 Houghton-Larsen et al. .... 426/594

#### FOREIGN PATENT DOCUMENTS

980165 12/1975 Canada.

0097466 1/1984 European Pat. Off. . 1162479 4/1958 France . 6803767 of 1968 Netherlands .

## OTHER PUBLICATIONS

Sivetz et al. "Coffee Technology", 1979. AVI Publishing Co., Westport, CT. pp. 335-336.

Primary Examiner—Steven Weinstein Assistant Examiner—Anthony Weier

#### 57] ABSTRACT

A process for preparing an extract from ground, roasted coffee is described. A primary extract is prepared by exhaustive primary extraction with water or an aqueous solution in one or more extraction cells including one cell to which extraction liquid is supplied. A secondary extract is prepared by secondary extraction with water or an aqueous solution in one or more extraction cells including one cell from which secondary extract is drawn off. The process is conducted so that when the primary extraction cell to which the water or the aqueous solution is supplied has been exhaustively extracted, this cell is connected through to the secondary extraction as an extraction cell from which secondary extract is withdrawn, and the first quantity of extract from the cell connected through, which quantity corresponds approximately to the liquid contents of said cell, is supplied to the primary extraction as an extraction liquid.

#### 17 Claims, 1 Drawing Sheet

